


www.archive.org  
415.561.6767  
415.840-0391 e-fax

Internet Archive  
300 Funston Avenue  
San Francisco, CA 94118

## AFFIDAVIT OF CHRISTOPHER BUTLER

1. I am the Office Manager at the Internet Archive, located in San Francisco, California. I make this declaration of my own personal knowledge.
2. The Internet Archive is a website that provides access to a digital library of Internet sites and other cultural artifacts in digital form. Like a paper library, we provide free access to researchers, historians, scholars, and the general public. The Internet Archive has partnered with and receives support from various institutions, including the Library of Congress.
3. The Internet Archive has created a service known as the Wayback Machine. The Wayback Machine makes it possible to surf more than 450 billion pages stored in the Internet Archive's web archive. Visitors to the Wayback Machine can search archives by URL (i.e., a website address). If archived records for a URL are available, the visitor will be presented with a list of available dates. The visitor may select one of those dates, and then begin surfing on an archived version of the Web. The links on the archived files, when served by the Wayback Machine, point to other archived files (whether HTML pages or images). If a visitor clicks on a link on an archived page, the Wayback Machine will serve the archived file with the closest available date to the page upon which the link appeared and was clicked.
4. The archived data made viewable and browseable by the Wayback Machine is compiled using software programs known as crawlers, which surf the Web and automatically store copies of web files, preserving these files as they exist at the point of time of capture.
5. The Internet Archive assigns a URL on its site to the archived files in the format `http://web.archive.org/web/[Year in yyyy][Month in mm][Day in dd][Time code in hh:mm:ss]/[Archived URL]`. Thus, the Internet Archive URL `http://web.archive.org/web/19970126045828/http://www.archive.org/` would be the URL for the record of the Internet Archive home page HTML file (`http://www.archive.org/`) archived on January 26, 1997 at 4:58 a.m. and 28 seconds (1997/01/26 at 04:58:28). A web browser may be set such that a printout from it will display the URL of a web page in the printout's footer. The date assigned by the Internet Archive applies to the HTML file but not to image files linked therein. Thus images that appear on a page may not have been archived on the same date as the HTML file. Likewise, if a website is designed with "frames," the date assigned by the Internet Archive applies to the frameset as a whole, and not the individual pages within each frame.
6. Attached hereto as Exhibit A are true and accurate copies of printouts of the Internet Archive's records of the HTML files or PDF files for the URLs and the dates specified in the footer of the printout (HTML) or attached coversheet (PDF).
7. I declare under penalty of perjury that the foregoing is true and correct.

DATE: 2/21/17

  
\_\_\_\_\_  
Christopher Butler

Coherus BioSciences Inc.  
**EXHIBIT 1271**  
IPR Petition for  
U.S. Patent No. 9,085,619

CALIFORNIA JURAT

---

See Attached Document.

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California  
County of San Francisco

Subscribed and sworn to (or affirmed) before me on this

21 day of February, 2017, by

Christopher Butler,


proved to me on the basis of satisfactory evidence to be the person who appeared before me.

Signature: Laurel Karr



# Exhibit A

[http://web.archive.org/web/20050317083331/http://www.humira.com/hu/hustore/cgi-bin/ProdSubEV\\_Cat\\_205043\\_SubCat\\_210170\\_NavRoot\\_205042\\_NavID\\_301.htm](http://web.archive.org/web/20050317083331/http://www.humira.com/hu/hustore/cgi-bin/ProdSubEV_Cat_205043_SubCat_210170_NavRoot_205042_NavID_301.htm)



#### INJECTION ASSISTANCE

[STEP ONE](#)
[STEP TWO](#)
[STEP THREE](#)
[STEP FOUR](#)
[STEP FIVE](#)
[INJECTION TIPS](#)

#### INSURANCE ASSISTANCE

[MEDICARE ASSISTANCE PROGRAM](#)
[SIGN-UP FOR HUMIRA UPDATES](#)

#### What can I expect to feel when I inject myself with HUMIRA?

Although the needle used to inject HUMIRA is small, a slight pain or stinging sensation may be felt when a needle is inserted into your skin. Some patients describe a burning sensation or experience a small "bump" when the medicine is injected. These sensations are a normal response to the insertion of a needle and medicine and usually go away shortly after the injection is completed. It's not serious if you notice a small amount of bleeding at the injection site after the needle is removed. Simply apply gentle pressure to the site with a cotton ball or gauze. Also, a small amount of clear fluid may appear at the site. This may be medication that's following the path of the needle to the surface. Again, apply gentle pressure to the site.

In addition to the sensations described above, about 20% of patients experience a reaction where the injection was given. These reactions are usually mild and include redness, rash, swelling, itching, or bruising. Usually, the rash will go away within a few days.

#### What can I do to decrease or eliminate the discomfort associated with the injection?

People may feel varying degrees of discomfort when taking their injections. Although these suggestions may not work for everyone, here are some tips that may be helpful:

- ▣ Take your syringe out of the refrigerator and allow it to sit at room temperature for about 10 to 15 minutes before giving your injection.
- ▣ Apply a small ice pack to the insertion site for 2 to 3 minutes before cleansing your skin with alcohol. This may decrease the sensation of the needle insertion.
- ▣ Allow the alcohol on your skin to dry thoroughly before giving the injection.
- ▣ When grasping your skin, be sure to grasp approximately a 2-inch fold of skin between your thumb and index finger.
- ▣ Be sure to insert the needle at a 45-degree angle. Inserting the needle at less than a 45-degree angle may cause a bump at the injection site.
- ▣ Quickly insert the needle all the way into the skin with one single motion.
- ▣ Inject the medicine slowly.
- ▣ Remove the needle at the same angle you inserted it and hold gentle pressure over the injection site for 10 or 15 seconds.
- ▣ Be sure and rotate your injection sites from one area to another on your thighs and abdomen. Rotating the injection sites keeps the skin healthy. Do not inject in areas where the skin is tender, red, bruised or hard or where you have scars or stretch marks.
- ▣ If the skin around the area where you injected HUMIRA hurts or is swollen, place a cold, damp towel or small ice pack on the injection site for 10 or 15 minutes every 1 to 2 hours. If you use an ice pack, be sure and place a light towel between the ice pack and your skin.

[Legal Notices/Privacy Policy. Copyright 2004, Abbott Laboratories, Abbott Park, Illinois, U.S.A.](#)

If you have any questions about Abbott's Humira.com Web site that have not been answered [click here](#).

This website and the information contained herein is intended for use by US residents only and is provided for informational purposes only and is not intended to replace a discussion with a healthcare provider. All decisions regarding patients care must be made with a healthcare provider and consider the unique characteristics of each patient.

03A-640-5927-13